




Coil surface
3,5 m2

Sensor pocket
Ø10

Sensor pocket
Ø10

Lateral flange

Draining
Ø3/4" G Female


Water outlet
Ø1" G Male

Coil inlet
Ø1" G Female

Recirculation
Ø3/4" G Female






Water inlet
Ø1" G Male

Coil outlet
Ø1" G Female


Modification serpentin 4 m2 => 3,5 m2				DOUAMBA		03/11/2020															
Modification description				Designer		ECN Modification		Date		Code		RL									
Document code		Precision level for dimentions without tolerance indications has to be: ☐ FINE ☒ MEDIUM ☐ COARSE ☐ VERY COARSE EN 22768					ECN first creation		Date		19/06/2020										
									Designer		DOUAMBA										
 = 0		 = 0		 = 0		Drawing format		A3		Scale		1:13									
Conformity requirements see the document named "Product Conformity Requirements N.R&D.TB005Tt" A - B						Material								VOIR SPECIFICATIONS PLANS							
						Treatment															
 ARISTON THERMO GROUP Via A. Merloni 45 Fabriano (AN) 60044 Italy						Finishing								Replaces							
						Description								Code							
						300L HHP CYLINDER CD1 PROTECH								/							
BY TERM LAWS WE RESERVE THE PROPERTY OF THIS DRAWING WITH PROHIBITION OF USE AND REPRODUCTION																					

ARISTON
THERMO GROUP


Via A. Merloni 45
Fabriano (AN)
60044 Italy



Modification serpentin 4 m2 => 3,5 m2		DOUAMBA		03/11/2020			
Modification description		Designer	ECN Modification		Date	Code	RL
Document code	Precision level for dimentions without tolerance indications has to be: ☐ FINE ☒ MEDIUM ☐ COARSE ☐ VERY COARSE EN 22768			ECN first creation	Date	19/06/2020	
					Designer	DOUAMBA	
 = 0  = 0  = 0				Drawing format	A3	Scale	1:13
Conformity requirements see the document named "Product Conformity Requirements N.R&D.TB005Tt" A - B		Material					



COUPE A-A
ECHELLE 1 : 10



Flange for the kit HE

Screw-in HE 2 kW (200-300L)

Modification description		Designer	ECN Modification	Date	Code	RL
Document code	Precision level for dimentions without tolerance indications has to be: ☐ FINE ☒ MEDIUM ☐ COARSE ☐ VERY COARSE EN 22768		ECN first creation		Date	19/06/2020
			Drawing format		Designer	DOUAMBA
$\text{F} = 0$ $\text{P} = 0$ $\text{S} = 0$		A3		Scale	1:13	
Conformity requirements see the document named "Product Conformity Requirements N.R&D.TB005Tt" A - B		Material		VOIR SPECIFICATIONS PLANS		
		Treatment				
		Finishing		Replaces		
		Description		Code		
		300L HHP CYLINDER CD1 PROTECH		/		

ARISTON
THERMO GROUP
Via A. Merloni 45
Fabriano (AN)
60044 Italy

BY TERM LAWS WE RESERVE THE PROPERTY OF THIS DRAWING WITH PROHIBITION OF USE AND REPRODUCTION